



**PIMA COUNTY
PROCUREMENT**
130 W. CONGRESS ST., 3rd FLOOR
TUCSON, ARIZONA 85701-1317
TELEPHONE (520) 740-8161, FAX (520) 798-1484

March 4, 2013

**IFB 77708 Wheeled Agricultural Tractor And Disc Attachment
Addendum #3**

The following revisions shall be incorporated into **IFB #77708**:

1. **Bid Due Date & Time:** Bid Due Date & Time **REMAIN** March 11, 2013 @ 1:30 P.M.

2. **Attachments A (Detailed Specifications) and B (Specification Checklist):** REPLACE the Revised Attachments from Addendum 2 WITH the (**Addendum 3 Revision**) Revised Attachments included in this Addendum. Please submit these new attachments with your bid.

Please submit the Offer Agreement and required documents from the original IFB document with your bid.

Please submit Attachment C from the original IFB document with your bid.

Please submit the Revised Attachment D from IFB Addendum 2 with your bid.

All other terms and conditions remain the same.

Keith E. Rogers
Commodity / Contracts Officer
Pima County Procurement
Telephone: (520) 724-3542
Fax: (520) 791-6643
keith.rogers@pima.gov

REVISED: ATTACHMENT A – DETAILED SPECIFICATIONS

(Addendum 3 Revision)

One Wheeled (4) Agricultural Tractor and One Disc Attachment

Provide one (1) new Wheeled (4) Agricultural Tractor and one (1) new Disc Attachment for the Pima County (“County”) Regional Wastewater Reclamation Department, per the specifications and requirements defined herein. Tractor must be capable of turning within a **230 inch** radius, or tighter.

MINIMUM REQUIREMENTS (MUST BE MET):

- Tracked vehicles shall not be acceptable.
- Tractor and disc shall meet all the latest revised Federal Emission Standards, OSHA and Federal Safety Standards, and Arizona Department of Transportation regulations, as applicable.
- Tractor and disc attachment offered shall be manufactured and/or assembled in the United States.
- Original manufacturers’ serial numbers shall not be altered in any way.
- Tractor and disc attachment shall be manufacturers’ current models in production at time of delivery.
- Tractor and disc attachment shall be new and unused.
- Demonstrator models shall not be acceptable.
- Except as noted in Attachment B the warranty period on the tractor shall be a minimum, one (1) year or 1000 hours for both parts and labor. Warranty repair and/or replacement will be performed at no additional charge to Pima County. During the one year warranty period, towing or transporting the equipment to and from the repair facility located within Pima County will be at no additional charge to Pima County.
- The successful bidder shall be responsible for all repairs needed within the warranty period. The successful bidder will be responsible for delivering the equipment to the proper local repair warranty facility (located within Pima County) for repairs or warranty repairs performed in the field with no service charge or travel time during the warranty period of one year. After proper repairs are complete, tractor shall be returned to the Wastewater’s location from where it was picked up from or to a pre-arranged location. Please refer to Attachment C for the Certification of stocking, supplying of parts and service program.
- The successful bidder is to provide transport, anywhere within Pima County, at no charge to Pima County for warranty related breakdown/repairs to the local (located within Pima County) repair facility or to the appropriate local (within Pima County) warranty dealer. Once the vendor is notified of a breakdown, the unit must be picked up within four (4) hours.
- Bidders shall submit with their bids a comprehensive list detailing each of the specifications of the proposed vehicle that separately address each of the specifications as set forth in this bid.
- Brochures for the proposed equipment shall be submitted with bid giving complete specifications and other general data and equipment.

Warranty brochures shall be submitted with bid explaining the warranty coverage and defining specifically what is covered. Vendor to provide on-site hands on training at a county facility covering basic safe operation of the tractor and disc.

The following documents shall be provided to Pima County for each unit upon delivery:

1. Manufacturer Statement of Origin (M.S.O.) Unless otherwise ordered in writing, the M.S.O. shall show the owner/purchaser of the equipment as:
Pima County Board of Supervisors
1301 S. Mission Road
Tucson, AZ 85713
2. Warranty Document.
3. Manufacturers unaltered invoice
4. Attachment “B”- Specification Checklist, fully completed for each unit to ensure that the vehicle is in compliance with the specifications submitted with bid response.
5. Delivery ticket specifying the purchase order number, and the serial number of the tractor and disc.
6. Successful respondent receiving award shall provide for both vehicles/equipment combined-Two (2) CD’s or Thumb drives providing Pima County with the following (a-e):
 - a. Maintenance-Overhaul (shop) manuals
 - b. Operator’s manuals and on site hands on training covering basic safe operation
 - c. Wiring Diagrams
 - d. Service Manuals
 - e. Manuals for auxiliary equipmentSuccessful bidder may also provide a web site to enable Pima County to acquire information directly as long as there is no subscription to join or a fee to pay to get this information.
- f. Four (4) sets of keys

REVISED: ATTACHMENT B – SPECIFICATION CHECKLIST
(Addendum 3 Revision)

All items in Attachment B must be answered and returned with bid response. Failure to answer all items may be cause for rejection as non-responsive. Bidders shall fill in the following based on the equipment you are offering to Pima County per this solicitation:

TRACTOR SPECIFICATIONS:

BIDDERS SHALL FILL IN THE FOLLOWING:

		<u>YES</u>	<u>NO</u>
WHEELBASE:	110" APPROXIMATE	—	—
GVWR:	15,000 LBS MINIMUM	—	—
ENGINE:	DIESEL, 200 H.P. NET MINIMUM AT RATED RPM, 6.5 LITER MINIMUM, 600 MINIMUM FT. LB. TORQUE AT RATED RPM WITH ELECTRONIC CONTROLS. THROTTLE CONTROL OPTIONS TO BE HAND AND FOOT. <u>ENGINE WARRANTY FOR 5 YEARS OR 4,000 HRS WHICH EVER COMES FIRST COVERING FUEL PUMP, FUEL INJECTORS, WATER PUMP, INTERNAL ENGINE PARTS AND TURBO.</u> ENGINE BID MUST BE AN ACCEPTABLE MATCH TO THE TRANSMISSION AS CERTIFIED BY THE TRANSMISSION MANUFACTURER. ENGINE SHALL MEET THE 2013 EMISSION STANDARDS. VENDOR TO STATE ENGINE MAKE AND MODEL OF ENGINE BID. ALT OR BIO FUEL CAPABILITY NOT NEEDED.	—	—
	State engine make & model _____		
TRANSMISSION:	16 FORWARD AND 5 REVERSE GEARS, MINIMUM, WITH PTO GEAR, WITH OIL LEVEL SENSOR, NO RETARDER. RATED FOR 200 H.P. NET INPUT MINIMUM AND 600 FT. LB. TORQUE NET INPUT MINIMUM. EQUIPPED EITHER CVT OR POWER SHIFT AND AUTO FIELD AND ROAD SHIFTING FEATURES. ROAD SPEED 20 MPH MINIMUM. <u>COMPLETE TRANSMISSION SHALL BE WARRANTED FOR FIVE YEARS. OR 4,000 HRS WHICHEVER COMES FIRST</u>	—	—
EXHAUST:	MAXIMUM DIAMETER AVAILABLE, VENDER SHALL STATE, VERTICAL STACK WITH SHIELD, FORMED AT TOP TO PREVENT RAIN ENTERING OR EQUIPPED WITH A RAIN CAP. PREFER ALUMINIZED STEEL, ALUMINUM GUARD. UNDER HOOD EXHAUST ACCEPTABLE.	—	—
AIR CLEANER:	HEAVY DUTY, MAXIMUM AVAILABLE, WITH RESTRICTION INDICATOR IN CAB AND PRE-CLEANER.	—	—
OIL FILTER:	MANUFACTURER'S STANDARD	—	—

BIDDERS SHALL FILL IN THE FOLLOWING:

		<u>YES</u>	<u>NO</u>
FUEL TANKS:	50 GALLONS, MINIMUM. MAXIMUM GROUND CLEARANCE.	—	—
FUEL FILTERS:	TWO EACH, SCREW ON.	—	—
RADIO:	AM-FM STEREO, FACTORY ELECTRONIC TUNING AND CLOCK, MULTIPLE DUAL CONE SPEAKERS, (2) MINIMUM, ANTENNA	—	—
AIR CONDITIONING:	MAXIMUM AVAILABLE, FACTORY INSTALLED, INTERNAL CAB - NO ROOF MOUNTING	—	—
AUTOMATIC WARNING SYSTEM	SEPARATE AUDIBLE (ABOVE AMBIENT LEVELS) ALARMS FOR LOW ENGINE OIL PRESSURE, ENGINE OVER TEMPERATURE, SHUTDOWN SYSTEM SHALL BE ACTIVATED TO SENSE THE SLIGHTEST VARIATION OF THESE SYSTEMS, IF FAILING, AND AUTOMATTICALLY SHUT THE ENGINE DOWN TO PREVENT ENGINE DAMAGE. VENDOR TO STATE WHICH SYSTEMS WILL BE MONITORED BY THE AUTO SHUT/DOWN SYSTEM.	—	—
FENDERS:	VENDOR STANDARD.	—	—
RADIO NOISE SUPPRESSION:	UNIT WILL BE EQUIPPED WITH AM AND MOBILE RADIO NOISE SUPPRESSION PACKAGE. ELECTRIC AND ELECTRONIC COMPONENTS OF THE UNIT SHALL NOT INTERFERE WITH SIGNALS RECEIVED OR TRANSMITTED BY THE MOBILE RADIO SYSTEM, NOR SHALL THE ELECTRIC AND ELECTRONIC COMPONENTS OF THE UNIT BE AFFECTED BY THE OPERATION OF THE MOBILE TRANSMITTER OR RECEIVER.	—	—
BACK-UP ALARM:	ELECTRIC BACKUP ALARM, 97dB MINIMUM. WEATHERPROOF AND STEAM-CLEANABLE.	—	—
COLOR:	CAB, BODY AND WHEELS – VENDOR STANDARD	—	—

BIDDERS SHALL FILL IN THE FOLLOWING:

YES NO

SAFETY

EQUIPMENT:

FIRE EXTINGUISHER (5LB ALL PURPOSE) MOUNTED IN CAB, WITHIN EASY REACH OF THE OPERATOR, ALL LADDERS, STEPS AND WALKING AREAS SHALL BE NON-SLIP TYPE.

— —

LIGHTS:

LIGHTS AND REFLECTOR SHALL MEET DOT REQUIREMENTS. ALL LIGHTS SHALL BE SEAL BEAM OR EQUAL

— —

DISC SPECIFICATIONS:

12' HEAVY OFFSET DISC OR GREATER. HORSEPOWER RATING OF 140 TO 175. 9" BLADE SPACING, 32 (QTY) 26"X6MM NOTCHED BLADES OR EQUAL. CYLINDER AND HOSES FOR TRANSPORTING. 4-9.51 TIRES OR EQUAL, ADJUSTABLE BLADE SCRAPERS, 1INCH AND A HALF GANG AXLES WITH SEALED BEARINGS OR EQUAL. 7"X5" STEEL TUBE MAIN FRAME OR GREATER, FRONT TO REAR LEVELING SYSTEM, ADJUSTABLE GANG ANGLES. SMV EMBLEM ON REAR . **DISC SHALL HAVE A ONE YEAR FULL WARRANTY(NOT INCLUDING WEAR EDGES).**

— —